

a VHLGenetics company

### K754 - Pyruvatekinase Def.

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

## K751 - GSD Type IV

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

### K793 - Bloodtyping (DNA)

Information about the Bloodtyping (DNA):

genotype b/b: The cat carries two copies of the recessive b allele. Serologically the cat shows bloodgroup B.

genotype N/b: The cat carries one copy of the recessive b allele. Serologically the cat shows bloodgroup A or AB. The cat will pass the mutation onto its offspring with a probability of 50%.

genotype N/N: The cat is a non-carrier of the recessive b allele. Serologically the cat shows bloodgroup A or AB. This test is valitated in all breeds, except Ragdolls and Turkish Angora.

In a few percent of the cases, results are inconclusive and status of the B blood group cannot be determined.

This is caused by a combination of genetic variation that was not described in the publication.

#### K762 - rdAc-PRA

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

#### K711 - PKD test

Information about the PKD test:

Based on the results three groups of animals can be detected:

pkd1/pkd1: The cat is NO CARRIER, and has two healthy copies from the gene.

PKD1/pkd1: The cat is AFFECTED, and has one healthy and one defect copy from the gene.

PKD1/PKD1: The cat is AFFECTED, and has two defect copies from the gene.

The PKD test detects the presence of a mutation in the ADPKD1 gene (C->A mutation in exon 29), which is suggested to be responsible for Polycystic Kidney Disease (PKD) in several breeds. PKD of other genesis, especially caused by other unknown mutations cannot be excluded by this test.



## a VHLGenetics company

#### K799 - HCM3

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will also become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

Information about the HCM3 test

The HCM3 test is based on the detection of a mutation in the MYBPC3 gene, which is suggested to cause hypertrophic cardiomyopathy (HCM) in Ragdoll cats. In Ragdolls the mutation which is suggested to cause HCM is like in Maine Coons in the MYBPC3-gene but in a different domain. HCM of other genesis caused by other mutations cannot be excluded by this test.

#### K725 - HCM1 Test

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will also become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

Information about the HCM1 test

The HCM1 test detects the mutation in the MYBPC gene (G->C mutation in exon 3) which is suggested to be responsible for hypertrophic cardiomyopathy in several cat breeds. HCM of other genesis especially caused by other mutation or other unknown mutations cannot be excluded by this test.

#### K767 - SMA

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

### K504 - Periodic paralysis (WNK4-Hypokalemia)

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.



a VHLGenetics company

## K597 - Congenital Adrenal Hyperplasia

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

## K598 - Dihydropyrimidinase Deficiency

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

## K599 - Hyperlipoproteinaemia

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

#### K600 - Niemann-Pick C1 Disease

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

## K601 - Primary Hyperoxaluria II

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

# K640 - Gangliosidosis, GM2, type II - 1

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill



a VHLGenetics company

due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

## K641 - Vitamin D-deficiency rickets, type I

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

#### K646 - Gangliosidosis, GM2, GM2A

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

### K647 - Gangliosidosis, GM2, type II - 2

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

## K649 - Hypothyroidism

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

# K650 - Mucopolysaccharidosis VII

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.



a VHLGenetics company

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

### K651 - Mucopolysaccharidosis VI

Explanation about the result:

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

#### K656 - Haemophilia B - 1

Explanation about the result for females:

NORMAL: The animal is free and has two healthy alleles. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease

allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

Explanation about the result for males:

NORMAL: The animal is free and has one healthy allele and the sex chromosome Y. It cannot spread the disease in the population.

AFFECTED: The animal is affected and has one mutant (disease) allele and the sex chromosome Y. When used in breeding, all male offspring will receive the sex chromosome Y.

All female offspring will receive the mutant (disease) allele.

#### K657 - Haemophilia B - 2

Explanation about the result for females:

NORMAL: The animal is free and has two healthy alleles. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele.

When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

Explanation about the result for males:

NORMAL: The animal is free and has one healthy allele and the sex chromosome Y. It cannot spread the disease in the population.

AFFECTED: The animal is affected and has one mutant (disease) allele and the sex chromosome Y. When used in breeding, all male offspring will receive the sex chromosome Y.

All female offspring will receive the mutant (disease) allele.

### K386 - Mucopolysaccharidosis I

Explanation about the result:



a VHLGenetics company

NORMAL: The animal is free and has two healthy alleles. When used in breeding, this animal will not become ill due to the disease. It cannot spread the disease in the population.

CARRIER: The animal is carrier and has one healthy and one mutant (disease) allele. When used in breeding, 50 percent of the offspring will receive the disease allele. Carriers will not become ill.

AFFECTED: The animal is affected and has two mutant (disease) alleles. When used in breeding, all offspring will receive the mutant allele from this animal. Affected animals will become ill.

VHL exercises the utmost care in performing each of its engagements. No party other than the principal may derive any rights from the results of these engagements, and the principal expressly indemnifies VHL in respect of any third-party claims. VHL policy provides that any complaints must be received within eight days of the completion of an engagement and imposes restrictions on liability. In that respect, VHL refers to its General Conditions, which are applicable to all engagements VHL performs and which were enclosed with the submission form. These General Conditions can also be reviewed at www.vhlgenetics.com. The work VHL performs is based on the material and/or data it receives from its principal. This report may only be copied in its entirety. The organization is ISO:9001 certified for all her work. This test is based on PCR technology.

(Certificate nr: K13109/Date of issue: 20.12.2017)

page 9 of 9 <end of report>